

New Bridge Services (EASYINSTALL WPC)

New bridge services is a leader in temporary fences and fence related /industrial application materials, with its view on a sustainable future for our planet we are proud to launch our range N B S EASY INSTALL WPC fence PANELS and “N B S Easy INSTALL WPC DECKING” we are sure that it will eventually replace the conventional timber used for decking and wood palling fence which are used as fence Neighbour boundary partitions/ fences .

What is “EASY INSTALL N B S WPC?”

WPC (Wood plastic composite) material is made of Wood Fibre, Plastic and Few of chemical additives:

- **Wood cellulose** – EASY INSTALL WPC uses pine wood powder.
- **Plastic-** EASY INSTALL WPC adopts the plastic material containing both new and reclaimed HDPE (high-density polyethylene) as per the strict ratio. Other plastic material (like PP- Polypropylene, PVC-Polyvinyl chloride etc.) can replace PE on clients special demands.
- **Chemical additives (Couplant)** - Like colorants, coupling agents, stabilizers, blowing agents, reinforcing agents, foaming agents and lubricants make wood and plastic compounded perfectly

Wood Composite Plastic is high performance fibre composite derived from a revolutionary green technology. The core fibre composite technology, developed and refined through the years, promises to ease pressures on our forests by delivering an optimum and viable timber free alternative acceptable for mass applications and integration with industry.

Applications - N B S EASY INSTALL WPC is used in indoor/outdoor Decking, Fencing, Railing, Furniture etc.

NBS "EASY INSTALL W P C PRODUCTS



- **Permanent/ Neighbour boundary fence panels (N B S Boundary fence panels)**
- **Outdoor decking (N B S easy decking series)**

A) Panels (N B S Boundary fence panels)

- **Dimensions: 2700mm long x 200 wide x31mm thick (Total flexibility in height as width could be achieved with our interlocking panels)**



New



New

Texture Table




Remark:Brush is not Standard texture of MexyTech,if using Brush,need to add 3% to the total cost.

B) (N B S Easy decking series)








- Dimensions : 2700long x 138 wide x 23mm thick

Available in hollow and solid series

- Outdoor decking (N B S easy decking series)



N B S EASY DECKING COLOUR TEXTURE TABLE

			Texture	
Chocolate	Brown	Grey		
			Sanded	Wood Grain 2
Mahogany	Walnut	Teak		Wood Grain 1



Advantages

- Aesthetic
- Light and Easy to install
- Timber Free

- Recovered Waste
- Non-Toxic
- Weather Proof
- Fungal Resistant
- Erosion Resistant
- Insect Proof
- Last for 50yr, with a 10 yr. limited warranty you will never have to replace your fence panel ever
- Does not mould or rot
- As a neighbour fence it Give both side the same finish (unlike Palin fence panels you see the ugly support beams on one side)
- Add value to your property
- Less upright beams as the panels span 2700mm, and can go up to 2100 high or above.
- Available in 4 wood natural finish shades/ colours
- We have a solution to replace every wood application with Wood Composite Plastic panels
- No harmful chemicals or formaldehyde release
- Does not bow or splinter
- Good weathering resistance with UV stabilizers

- Less or no maintenance
- Available in kit form of 1800high(9x 2700 x200x31mm panels +2x 2100mm post + 2 post caps + 2 x 2700 top and bottom rails)
- Realistic pricing

N B S EASY INSTALL WPC Fence PANELS . DECKING PANELS

FAQ

What will occur if a chemical or gasoline is spilled on

N B S WPC is produced with a non-chemical reactive polymer base. This is the same plastic used to hold chemicals found in your local grocery store. Any chemical or gasoline must be removed immediately to prevent the cellulose fibre from staining.

Will the colour fade because of exposure to the sun?

ULTRA-VIOLET inhibitors have been added to N B S WPC to reduce colour fading due to extensive sun exposure.

A slight change in colour will occur but will retain this lighter shade throughout the life of the product. Please refer to the colour chart for colour changes.

Is N B S WPC really maintenance and paint free?

Yes! The N B S WPC Colour is all the way through the material. Because N B S WPC sheds water naturally it never needs waterproofing, painting, staining and will never rot, crack, decay, split or splinter. When installed correctly there will be no maintenance other than periodic cleaning.

Compared to real wood, what are the advantages of WPC?

Shortly speaking, WPC not only has better mechanical properties, weathering resistance, colour fastening, chemical stability and low heavy metal content, but also is water-proof.

Are N B S WPC products easy to install?

Definitely. Our customers can find all fitting and hardware in N B S WPC Also you can download the materials of installation from our website. We are pretty sure that our products can meet your DIY request.

Limited WARRANTY

Residential Use - Warranty Period of N B S WPC PRODUCTS

N B S WPC PRODUCTS is meant to withstand yrs. in Australian weather conditions as outdoor decking or as boundary fence, when managed and installed correctly.

- **N B S WPC** solid decking Products. Warranty Period 10years from date of purchase.
- **(N B S Boundary fence panels)**Products. Warranty Period 10 years from date of purchase. Cannot be installed within 2 meters of water.

All warranty need to be supported with a original invoice as proof of purchase,

If **N B S WPC products** Rot, Split, Crack, Splinter or suffers structural damage from termites within the warranty Period, we will replace the good only , no other charges will be entertained, such as uninstalling erecting and any other labour cost.

This warranty is only related to a fault in the manufacturing process.